


Worldwide numbers represent medical diagnoses of TBI that occurred anywhere U.S. forces are located including the continental United States since 2000.

Concussion/Mild TBI is characterized by the following: Confused or disoriented state which lasts less than 24 hours; or loss of consciousness for up to 30 minutes; or memory loss lasting less than 24 hours. Excludes penetrating TBI. A CT scan is not indicated for most patients with a Mild TBI. If obtained, it is normal.

Moderate TBI is characterized by the following: Confused or disoriented state which lasts more than 24 hours; or loss of consciousness for more than 30 minutes, but less than 24 hours; or memory loss lasting greater than 24 hours but less than seven days; or meets criteria for Mild TBI except an abnormal CT scan is present. Excludes penetrating TBI. A structural brain imaging study may be normal or abnormal.

Severe TBI is characterized by the following: Confused or disoriented state which lasts more than 24 hours; or loss of consciousness for more than 24 hours; or memory loss for more than seven days. Excludes penetrating TBI. A structural brain imaging study may be normal but usually is abnormal.


Penetrating TBI, or open head injury, is characterized by the following: A head injury in which the scalp, skull and dura mater (the outer layer of the meninges) are penetrated. Penetrating injuries can be caused by high-velocity projectiles or objects of lower velocity such as knives, or bone fragments from a skull fracture that are driven into the brain.



Service	Component	Severity	Diagnosed
Army	Active	Penetrating	27
		Severe	27
		Moderate	412
		Mild	4,350
		Not Classifiable	466
	Guard	Penetrating	6
		Severe	4
		Moderate	45
		Mild	789
		Not Classifiable	44
	Reserve	Penetrating	3
		Severe	1
		Moderate	33
		Mild	469
		Not Classifiable	47


Source: Defense Medical Surveillance System (DMSS),

Theater Medical Data Store (TMDS) provided by the Armed Forces Health Surveillance Center (AFHSC)



Service	Component	Severity	Diagnosed
Navy	Active	Penetrating	6
		Severe	5
		Moderate	112
		Mild	1,331
		Not Classifiable	73
	Reserve	Penetrating	1
		Severe	1
		Moderate	8
		Mild	124
		Not Classifiable	3


Source: Defense Medical Surveillance System (DMSS), Theater Medical Data Store (TMDS) provided by the Armed Forces Health Surveillance Center (AFHSC)



Service	Component	Severity	Diagnosed
Air Force	Active	Penetrating	4
		Severe	7
		Moderate	94
		Mild	1,191
		Not Classifiable	34
	Guard	Penetrating	4
		Severe	-
		Moderate	10
		Mild	173
		Not Classifiable	4
	Reserve	Penetrating	2
		Severe	-
		Moderate	10
		Mild	96
		Not Classifiable	5

Source: Defense Medical Surveillance System (DMSS),

Theater Medical Data Store (TMDS) provided by the Armed Forces Health Surveillance Center (AFHSC)



Service	Component	Severity	Diagnosed
Marines	Active	Penetrating	10
		Severe	9
		Moderate	136
		Mild	1,355
		Not Classifiable	81
	Reserve	Penetrating	1
		Severe	2
		Moderate	5
		Mild	91
		Not Classifiable	4

Source: Defense Medical Surveillance System (DMSS), Theater Medical Data Store (TMDS) provided by the Armed Forces Health Surveillance Center (AFHSC)